




PM75

Защищенный мобильный
компьютер

PM 75 Технические характеристики



Dimensions

With STD Battery
78.0 x 164.8 x 15.2mm (2.7 x 6.5 x 0.6in)

With EXT Battery
78.0 x 164.8 x 20.8mm (2.7 x 6.5 x 0.8in)



Audio

Two built-in microphones
Speaker
PTT support (with dedicated button)



Weight

With STD Battery
246g (8.7oz)

With EXT Battery
299g (10.5oz)




Display

5.45in IPS panel (720 x 1440 pixels)
LED backlight
Daylight readable (500 nits typical)
Wide viewing angle
Corning Gorilla Glass



Sensors

Proximity and Light Ambient sensor,
Acceleration sensor, and Gyro Digital
Compass



User Environment

Operating temperature
-20°C to 60°C (-4°F to 140°F)

PM 75

Технические характеристики



Powerful Processor

Qualcomm® Octa-core @2.0GHz
(1.8GHz optional)
3GB/32GB Standard



Android OS

Android 11 (upgradable)
CTS & GMS certified
Android Enterprise Recommended (pending)



User-replaceable Battery

STD Battery
3.85V, 2,900mAh Liion rechargeable

EXT Battery
3.85V, 5,800mAh Liion rechargeable

Compatible with PM85 / PM90 batteries



IP65 and 1.5m Drop

Water and dust proof
Multiple drops to concrete
(MIL-STD810G)




Honeywell Slim Imager

N3601 or N6603 1D/2D barcode scan engine



Wi-Fi 6, LTE, NFC

IEEE 802.11 a/b/g/n/ac/ax (Wi-Fi 6)/d/h/ i/k /r/l/v
4G LTE (optional)
NFC reader



(pending)

PM 75 Аксессуары

Standard



AC/DC Power Adaptor



Country Plug



USB-C Cable



Standard Battery (2,900mAh)

Compatible with PM85 & PM90



LCD Protection Film



Hand Strap

Optional



Single Slot Cradle
(For Pistol Grip or RFID Reader)



Dual Slot Cradle
(Connect up to 3 cradles)



Extended Battery (5,800mAh)

Compatible with PM85 & PM90



4 Slot Battery Charger



UHF RFID Reader RF750



Pistol Grip